


## My NASA Data - Mini Lesson/Activity

### Interpreting Earth's Energy Budget




## Student Directions

### Surface Effects on Energy Budget - Changes in Central Australia.

While the energy budget averaged over the globe changes little from year-to-year, large changes can occur due to changes in the Earth's surface or atmosphere on a local or regional basis. For example, the graph below shows the change in net radiation over a region of Central Australia. Net radiation is measured in watts per square meter ( $W/m^2$ ). When more energy is coming in than going out, net radiation is positive. When more energy is going out than coming in, net radiation is negative. When the amount of energy going out is the same as coming in, the net radiation is zero and considered balanced (dashed line).

The area of Central Australia experienced a multiyear drought from 2002-2009, during which time the region went from being a net absorber to a net emitter of energy, largely due to a change from plant-covered ground and dry soil. Heavy rainfall in 2010 broke the drought, resulting in a large increase in vegetation and soil moisture and a return to net absorption of energy. Similar changes occur on a smaller scale whenever human activities change the surface of the Earth.

Analyze the line graph below and answer the following questions.



[Surface Effects on Energy Budget: Changes in Central Australia. Source: NASA LaRC](https://mydasdata.larc.nasa.gov/sites/default/files/inline-images/Screen%20Shot%202019-04-22%20at%202.55.25%20PM.png)  
| <https://mydasdata.larc.nasa.gov/sites/default/files/inline-images/Screen%20Shot%202019-04-22%20at%202.55.25%20PM.png>

### Steps

1. Check with your instructor on how to submit your answers.
2. Compare the solid line with the dashed line. What year is the highest increase in positive net

- 
- radiation? What year is the highest decrease in negative net radiation?
3. Describe how the Net Radiation at the surface in Central Australia vary from 2000 to 2012.
  4. Identify which years in Central Australia experienced drought. Does this indicate that the area is a net absorber of energy or a net emitter of energy?
  5. What do you think happened in the region in 2010?

Teachers, these mini lessons/student activities are perfect "warm up" tasks that can be used as a hook, bell ringer, exit slip, etc. They take less than a class period to complete. Learn more on the "[My NASA Data What are Mini Lessons?](#)" page.

Teachers who are interested in receiving the answer key, please complete the [Teacher Key Request and Verification Form](#). We verify that requestors are teachers prior to sending access to the answer keys as we've had many students try to pass as teachers to gain access.

## **My NASA Data Visualization Tool**

- [Earth System Data Explorer](#)