# My NASA Data - Mini Lesson/Activity

## **Analyzing Seasonal Phytoplankton & Energy Flow**

#### **Grade Band**

- 6-8
- 9-12

## **Time**

• 30 minutes

## **Overview**

In this mini lesson, students explore the relationship of chlorophyll and solar radiation by analyzing line graphs from the North Atlantic during 2016-2018.


#### **Student Directions**

The flow of energy into the surface by shortwave radiation represents visible light coming from the Sun. The units of these data are Watts per square meter, which is the flow of energy spread out over an area. Five Watts per square meter is equivalent to the power used by a standard cell phone charger (5 Watts) passing through a square piece of paper with length and width of 1 meter.

#### Steps:

- 1. Check with your instructor on how to submit your answers.
- 2. Analyze the graph below displaying Monthly Flow of Energy into Surface by Shortwave Radiation between the years of 2016 and 2018 in the North Atlantic Ocean. Answer the following questions.


Average Monthly Flow of Energy into Surface by Shortwave Radiation:



Credit: My NASA Data, Average Monthly Flow of Energy into Surface by Shortwave Radiation: North Atlantic 2016 - 2018; Data courtesy of NASA, Clouds and Earth's Radiant Energy System (CERES) project

- 1. What variable is represented on the x-axis?
- 2. What variable is represented on the y-axis?
- 3. Describe the pattern that is revealed over the three years.
- 3. Analyze the graph below displaying Monthly Average Chlorophyll Concentration between the years of 2016 and 2018 in the North Atlantic Ocean and then answer the following questions. The units for chlorophyll concentration in this graph is milligrams of chlorophyll per cubic meter of seawater. This is a very small mass unit. To compare, the average mass of a feather from a chicken is about 8 milligrams.

## Monthly Average Chlorophyll Concentration:



<u>Credit: My NASA Data, Monthly Average Chlorophyll Concentration: North Atlantic 2016 - 2018; Data courtesy of NASA, Moderate Resolution Imaging Spectroradiometer (MODIS) instrument</u>

- 1. What variable is represented on the x-axis?
- 2. What variable is represented on the y-axis?
- 3. Describe the pattern that is revealed over the three years.
- 4. Compare the two line graphs. Describe what these graphs have in common? How are they different?
- 5. Brainstorm on the factors that may contribute to their differences.

#### Sources:

- LAS UI. (n.d.). My NASA Data. Retrieved July 14, 2022, from <a href="https://mynasadata.larc.nasa.gov/EarthSystemLAS/UI.vm#panelHeaderHidden...">https://mynasadata.larc.nasa.gov/EarthSystemLAS/UI.vm#panelHeaderHidden...</a>
- 2. LAS UI. (n.d.). My NASA Data. Retrieved July 14, 2022, from <a href="https://mynasadata.larc.nasa.gov/EarthSystemLAS/UI.vm#panelHeaderHidden...">https://mynasadata.larc.nasa.gov/EarthSystemLAS/UI.vm#panelHeaderHidden...</a>

#### **Teacher Note**

Teachers, these mini lessons/student activities are perfect "warm up" tasks that can be used as a hook, bell ringer, exit slip, etc. They take less than a class period to complete. Learn more on the "My

## NASA Data What are Mini Lessons?" page.

Teachers who are interested in receiving the answer key, please complete the <u>Teacher Key Request</u> and <u>Verification Form</u>. We verify that requestors are teachers prior to sending access to the answer keys as we've had many students try to pass as teachers to gain access.

## **NGSS Three Dimensional Learning**

## **Crosscutting Concepts**

- Patterns
- Cause and Effect
- Stability and Change

## **Science and Engineering Practices**

- Developing and Using Models
- Analyzing and Interpreting Data

### **Document Resources**

Analyzing Seasonal Phytoplankton & Energy Flow